

ATTACHMENT 2 BID SCHEDULE

Bid Item#	Analyte Group	USEPA Method	Alternative Proposed Method	Price Per Sample Matrix		
				Tissue	Soil	Water
1	Polybrominated Diphenyl Ethers (PBDE)	1614				
2	Polychlorinated Biphenol Congeners (PCB)	1668A				
3	Organochlorine Pesticides	8081A				
4	Per- and polyfluoroalkyl substances (PFAS)					
5	%Total Lipid					
6	% Moisture					

Bid Price:	Bid Price: will be evaluated as the sum total of the Price Per Sample Matrix for Tissue Bid Items #1, #2, #3, and #4.
-------------------	--

Note: Bid evaluation will be a sum Bid Price of the Price Per Sample Matrix for Tissue Samples for Bid Items #1+ #2 + #3 + #4. If the Procurement Officer calculates the Bid Price of Bid Items #1, #2, #3, #4 as a different sum than what is entered in the Bid Price box, the Procurement Officer will use their calculated bid price instead to evaluate the bids. Bidders must bid on all items to be considered responsive. If an Alternative Proposed Method is unacceptable to DEC, DEC reserves the right to reject the bid. DEC encourages Vendors to inquire if an Alternative Proposed Method is acceptable prior to bid submission during the Pre-Proposal Conference or by submitting an Inquiry in writing per Section 1.01 ITB Administration Information. If an Alternative Proposed Method is indicated, the Price Per Sample Matrix shall reflect the price of the Alternative Proposed Method.

Bid Price in Words:		
Bidder must indicate if they can meet the required Sample Analysis Turnaround Time of 45 business days: Yes _____ No ____		
If the bidder cannot meet the Sample Analysis Turnaround Time of 45 business days, the bidder can propose an alternate Sample Analysis Turnaround Time which will be considered at DEC's discretion.		
Alternate Sample Analysis Turnaround Time:		
Bidder Company:		Alaska Business License Number:
Signature of Authorized Official:		Printed Name and Title:
Signature Date:	Email:	Phone:
Address:	City, State, and Zip:	